



The Buzz

E-Newsletter

February 2012 Issue

Sonic Launches Single Rod Handling System

Sonic Launches Rod Handling System

Sonic Becomes North American Distributor

Safety Cages Now Available

The Buzz is produced monthly for subscribers.

[Click here](#) to subscribe.

[Click here](#) to unsubscribe.

[Click here](#) for past issues.

[Click here](#) to comment.

- >> [Our Website](#)
- >> [Drill Rig Purchases](#)
- >> [Press Releases](#)
- >> [Brochures](#)
- >> [Contact Us](#)



Inexpensive SRL system can be retrofitted to existing drills

New safety regulations and contracts that require drillers to utilize safe rod loading systems are a reality for many companies today. These important safety systems are designed to eliminate any physical lifting over 40 lbs. as well as prevent physical contact with rotating rods.

More than a year ago, the Sonic Drill Corporation, a world-leading manufacturer of patented, award-winning sonic drills, began the development of its new Single Rod Loader (SRL) – one of two optional systems now available for sonic rigs.

Comprised of an arm, rotary actuator and clamping assembly, the SRL mounts to the front of the drill rig's breakout table and is powered off of the rig's hydraulic system. The unit is hoses with quick connects which allows for easy removal in limited access sites or low-overhead indoor applications.

The rotary actuator allows the arm to swing through 135 degrees enabling the drill to perform angle drilling up to 45 degrees off the vertical. The SRL assembly has a clamping range of 2" to 8 1/2" with enough power to lift 8 1/2" x 20 ft. rods. The arm is also fitted with a safety shut-down system which prevents operators from standing on the arm or becoming pinned between the arm and the ground.

This system can be attached to existing machines or added, as an option, to new drill rigs. It can also be "roughed in" on new machines to allow for its addition at a later time. To date, a number of SRLs are proving to be popular additions to sonic rigs around the world.

Sonic Becomes Exclusive North America Distributor



Completely hands-free rod handling

If site requirements stipulate a totally hands-free system, then this is the option for you. Sonic Drill Corporation has become the exclusive North American distributor for Bohrmeister's "Hands Free" rod handling system.

Completely hands free, this system is the safest rod handling option for sonic drills with absolutely no physical interaction or contact during rod loading and unloading. The Bohrmeister option offers a hydraulic system that runs off the drill rig's own hydraulic system and is operated by the driller's helper.

The system is comprised of a rotary storage magazine that holds 18 x 4 1/2" x 20 ft. rods plus one rod in the arm. This totals to an astounding 380 ft. of onboard tooling. The magazine, fully enclosed with lightweight removable guards, is also available in a shorter size to accommodate 10 ft. rods.

The Bohrmeister magazine has three basic functions; that of cw/ccw rotation, power roller and raising/lowering the skirt. The rod handler arm also has three basic functions; telescoping, rotary actuator for raising rods/casings and a clamping assembly.

The clamping assembly is designed to accommodate 3 1/2" to 8 1/2" rods. The clamping assembly is also mounted to the arm with a 180 degree rotary actuator that allows the arm to reach backwards to pick up and load larger diameter casings off of a service truck or pipe rack/trestle.

The entire system is modular and can be easily fork-lifted on and off the drill rig frame as well as connected with hydraulic quick connects. The Bohrmeister option is an easy system to retro fit to existing drills and its magazine is designed to disassemble into two pieces for economical shipping in a 20 ft. container.

Safety Cages Now Available



Drill head guards provide additional safety measures

Safety cages are another new and equally important safety option which are now available on all SDC track and truck models. Safety cages envelop the drill head rotating spindle and hydraulic breakout table clamps. The unit is lightweight and attaches to the drill mast (the overall transport height is not increased when the unit is attached).

The safety cage has a hinged access door on the front. Opening the access door immediately stops the spindle rotation. Drillers can also activate a spring-centered override switch at the console which enables 5 rpm of rotation at low torque.

Closing the door reactivates full rotation and torque. The switches and circuit are designed to be tamper-proof so that operators cannot bypass the safety system.